

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950


AMENDMENTS TO THE CLAIMS:

The following is a complete listing of the claims.

Claims 1-10 (Cancelled)

11. (Currently amended) A process for preparing a compound of Formula III,

(III)



wherein:

X represents a *cis* or *trans* alkenyl group represented by $-(CH=CH)_1-$;

one of $-OR_1$ or $-OR_2$ is O^-Q^+ or $-O-Q$, and the other is hydroxyl, $-O^-Q^+$, or $-O-Q$; and


Q is an alkali metal, an alkali earth metal, a transition metal, a heteroarylene, a heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, or a nitrogen-containing antibiotic,

the process comprising:

a) contacting *cis*- or *trans*-combretastatin A-4 in a solvent with a di(arylmethyl)phosphite in the presence of a tetrahalomethane, a tertiary amine, and an acylation catalyst to form a protected phosphate ester of Formula I,

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION


U.S. Non-Provisional Application Serial No. 09/582,950



(I)

wherein R_3 is an arylmethyl phosphate protecting group; and

b) contacting the protected phosphate ester of Formula I with a trialkylhalo silane for a period of time sufficient to generate the phosphoric acid compound of Formula II.



(II)

and

c) converting the phosphoric acid compound of Formula II into the compound of Formula III.

12. (Currently amended) The process of claim 11 wherein ~~further comprising the step of contacting~~ the phosphoric acid compound of Formula II is contacted with an alkali metal hydroxide, alkali metal alkoxide, alkali earth metal hydroxide, alkali earth metal

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950


alkoxide, transition metal hydroxide, transition metal alkoxide, a heteroarylene, a heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, a nitrogen-containing antibiotic, or a salt thereof to generate a compound of Formula III.

13. (Previously presented) The process of claim 11, wherein the phosphoric acid compound of Formula II is contacted with sodium methoxide to generate a disodium phosphate salt or a monosodium phosphate salt of combretastatin A-4.
14. (Previously presented) The process of claim 11 wherein the di(arylmethyl)phosphite is dibenzyl phosphite.
15. (Previously presented) The process of claim 11 wherein the tetrahalomethane is selected from the group consisting of CCl₄, CBr₄, CF₄, and Cl₄.
16. (Previously presented) The process of claim 11 wherein the tertiary amine is selected from the group consisting of N,N-diisopropylethylamine, triethylamine, pyridine, N-methyl morpholine, and DBU.
17. (Previously presented) The process of claim 11 wherein the acylation catalyst is N,N-dimethylaminopyridine.

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

18. (Previously presented) The process of claim 11 wherein the trialkylhalo silane is selected from the group consisting of trimethylbromo silane, trimethylchloro silane, trimethyliodo silane, trimethylfluoro silane, and mixtures thereof.
19. (Previously presented) The process of claim 11 wherein the solvent is a halogenated or non-halogenated solvent.
20. (Previously presented) The process of claim 19 wherein the solvent is acetonitrile.
21. (Previously presented) The process of claim 11, wherein Q is selected from the group consisting of calcium, cesium, lithium, sodium, magnesium, manganese, and zinc.
22. (Currently amended) A process for preparing a compound of Formula III,



(III)

wherein:

X represents a *cis*- or *trans*- alkenyl group represented by $-(CH=CH)_1-$; and


R_1 and R_2 are hydrogen;

the process comprising:

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950


a) contacting *cis*- or *trans*-combretastatin A-4 in a solvent with a di(arylmethyl)phosphite in the presence of a tetrahalomethane, a tertiary amine, and an acylation catalyst to form a protected phosphate ester of Formula I,



(I)

wherein R_3 is an arylmethyl phosphate protecting group; and

b) contacting the protected phosphate ester of Formula I with a trialkylhalo silane for a period of time sufficient to generate the phosphoric acid compound of Formula II.



(II)


and

c) converting the phosphoric acid compound of Formula II into the compound of Formula III.

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

23. (Currently amended) A process for preparing a compound of Formula III,



(III)

wherein:


X represents a *cis*- or *trans*- alkenyl group represented by $-(CH=CH)_1-$;

one of $-OR_1$ or $-OR_2$ is O^-Q^+ or $-O-Q$, and the other is hydroxyl, $-O^-Q^+$, or $-O-Q$ and

Q is an alkali metal, an alkali earth metal, a transition metal, a heteroarylene, a heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, or a nitrogen-containing antibiotic,

the process comprising:

- (a) contacting *cis*- or *trans*-combretastatin A-4 in a solvent with 1*H*-tetrazole, a phosphine, and an oxidizing agent at a temperature for a period of time sufficient to form a protected phosphate ester of Formula I,




(I)

wherein R_3 is an aryl, arylmethyl or alkyl phosphate protecting group; and

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

(b) contacting the protected phosphate ester of Formula I with an acidic compound or a trialkylhalo silane for a period of time sufficient to generate the phosphoric acid compound of Formula II,



(II)


c) converting the phosphoric acid compound of Formula II into the compound of Formula III.

24. (Currently amended) The process of claim 23, wherein further comprising the step of ~~contacting~~ the phosphoric acid compound of Formula II is contacted with an alkali metal hydroxide, alkali metal alkoxide, alkali earth metal hydroxide, alkali earth metal alkoxide, transition metal hydroxide, transition metal alkoxide, a heteroarylene, a heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, a nitrogen-containing antibiotic, or a salt thereof to generate a compound of Formula III.
25. (Previously presented) The process of claim 23, wherein the phosphine is selected from the group consisting of di-tert-butyloxy(N,N-diethylamido)phosphine, di-tert-butyloxy(N,N-diisopropylamido)phosphine, bis-[2-(trimethylsilyl)ethoxy]-N,N-diisopropylamidophosphine, and dibenzyl-N,N-diethylphosphoramidite.

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

26. (Previously presented) The process of claim 23, wherein the oxidizing agent is selected from the group consisting of mCPBA, hydrogen peroxide, t-butyl hydroperoxide, and peroxyacids.
27. (Previously presented) The process of claim 23 wherein the temperature is about -70°C to about 25°C .
28. (Previously presented) The process of claim 23 wherein the solvent is a halogenated solvent, a non-halogenated solvent, or a mixture thereof.
29. (Previously presented) The process of claim 28 wherein the solvent is a mixture of tetrahydrofuran and dichloromethane.
30. (Previously presented) A process for preparing a compound of Formula VI



(VI)

wherein,

one of $-\text{OR}_1$ or $-\text{OR}_2$ is O^-Q^+ or $-\text{O}-\text{Q}$, and the other is hydroxyl, $-\text{O}^-\text{Q}^+$, or $-\text{O}-\text{Q}$ and


REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

Q is an alkali metal, an alkali earth metal, a transition metal, a heteroarylene, a heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, or a nitrogen-containing antibiotic,


the process comprising:

(a) contacting *cis*-combretastatin A-4 in a solvent with di(benzyl)phosphite in the presence of tetrahalomethane, a tertiary amine, and an acylation catalyst to form a protected phosphate ester of Formula IV;



(IV)

(b) contacting the protected phosphate ester of Formula IV with a trialkylhalo silane for a period of time sufficient to generate the phosphoric acid compound of Formula V; and



(V)

(c) contacting the phosphoric acid compound of Formula V with an alkali metal hydroxide, alkali metal alkoxide, alkali earth metal hydroxide, alkali earth metal alkoxide, transition metal hydroxide, transition metal alkoxide, a heteroarylene, a


REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, a nitrogen-containing antibiotic, or a salt thereof to generate a compound of Formula VI.

31. (Previously presented) A compound of Formula III,

(III)



wherein:

X represents a *cis*- or *trans*- alkenyl group represented by $-(\text{CH}=\text{CH})_1-$;

one of $-\text{OR}_1$ or $-\text{OR}_2$ is O^-Q^+ or $-\text{O}-\text{Q}$, and the other is hydroxyl, $-\text{O}^-\text{Q}^+$, or $-\text{O}-$ Q; and


Q is an alkali metal other than sodium or potassium, an alkali earth metal, a transition metal, a heteroarylene, a heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, a nitrogen-containing antibiotic, or any combination thereof.

32. (Previously presented) The compound of claim 31, wherein Q is selected from the group consisting of cesium, lithium, magnesium, calcium, chromium, manganese, iron, cobalt, nickel, copper, zinc, platinum, silver, gold, imidazole, pyridine, pyrazole, morpholine, piperidine, piperazine, adenosine, tetracycline and verapamil, cinchonine, glucosamine, quinine and guanidine.

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

33. (Previously presented) A compound having a general structure of the formula VI:



(VI)

wherein:

one of -OR₁ or -OR₂ is O⁻Q⁺ or -O-Q, and the other is hydroxyl, -O⁻Q⁺, or -O-Q; and


Q is an alkali metal, an alkali earth metal, a transition metal, a heteroarylene, a heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, or a nitrogen-containing antibiotic.

34. (Previously presented) A pharmaceutical composition comprising the compound of claim 31 and a pharmaceutically acceptable carrier thereof.
35. (Previously presented) A pharmaceutical composition comprising the compound of claim 33 and a pharmaceutically acceptable carrier thereof.

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION


U.S. Non-Provisional Application Serial No. 09/582,950

36. (Previously presented) A process for preparing a compound of claim 33, comprising the step of contacting, in a solvent, combretastatin A-4 phosphate free acid having the structure:



with an alkali metal hydroxide, alkali metal alkoxide, alkali earth metal hydroxide, alkali earth metal alkoxide, transition metal hydroxide, or transition metal alkoxide which is capable of forming a metal salt with the phosphoric acid.

37. (Previously presented) A method of modulating tumor growth or metastasis in an animal comprising the administration of an effective amount of a compound having a general structure of the formula VI:



(VI)

wherein:


one of $-OR_1$ or $-OR_2$ is O^-Q^+ or $-O-Q$, and the other is hydroxyl, $-O^-Q^+$, or $-O-Q$; and

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

Q is an alkali metal, an alkali earth metal, a transition metal, a heteroarylene, a heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, or a nitrogen-containing antibiotic.

38. (Previously presented) The method of claim 37, wherein Q is a metal selected from the group consisting of lithium, cesium, manganese, magnesium, calcium, and zinc.
39. (Previously presented) The method of claim 37, wherein Q is a heteroarylene or a heterocyclyl selected from the group consisting of imidazole, morpholine, piperazine, piperidine, pyrazole, and pyridine.
40. (Previously presented) A method of modulating microbial growth in an animal comprising the administration of an effective amount of a compound having a general structure of the formula VI:



(VI)

wherein:


one of $-\text{OR}_1$ or $-\text{OR}_2$ is O^-Q^+ or $-\text{O}-\text{Q}$, and the other is hydroxyl, $-\text{O}^-\text{Q}^+$, or $-\text{O}-\text{Q}$; and

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

Q is an alkali metal, an alkali earth metal, a transition metal, a heteroarylene, a heterocyclyl, a nucleoside, a nucleotide, an alkaloid, an amino-sugar, an amino-nitrile, or a nitrogen-containing antibiotic.

41. (New) A process for preparing a compound of Formula VI




(VI)

wherein one of R_1 or R_2 is sodium and the other is sodium or hydrogen,

the process comprising:

- (a) contacting *cis*-combretastatin A-4 in a solvent with di(benzyl)phosphite in the presence of tetrahalomethane, a tertiary amine, and an acylation catalyst to form a protected phosphate ester of Formula IV;




(IV)

REQUEST FOR RECONSIDERATION OF RESTRICTION REQUIREMENT IN RESPONSE TO OFFICE ACTION

U.S. Non-Provisional Application Serial No. 09/582,950

(b) contacting the protected phosphate ester of Formula IV with a trialkylhalo silane for a period of time sufficient to generate the phosphoric acid compound of Formula V; and



(V)

(c) contacting the phosphoric acid compound of Formula V with an alkali metal hydroxide, alkali metal alkoxide, or a salt thereof to generate a compound of Formula VI.